



P: (07) 839 1800

F: (07) 839 1810

A: **Victoria Clinic,**
750 Victoria St, Hamilton 3204

A: **Hood St Clinic,**
30 Hood St, Hamilton 3204

Please return by fax and an appointment
will be arranged or call us direct.

1. Patient Information

Name	Address
Date of Birth	Suburb
Phone	Mobile
NHI#	ACC#
INS#	

2. Clinical Indication

Notes

3. Suggested Examination

☐ Ultrasound	
*only available at Hood St	
☐ X-Ray	
☐ Guided Injection	
☐ Antenatal Ultrasound	
*use codes over leaf	

LMP:

EDD:

4. Referring Information

Practice Information	Phone	
Name	Signature	Date

Patient Preparation

Pelvic Scans

Empty bladder 1 hour before appointment. Drink 1 litre water rapidly.
Do not empty bladder until after ultrasound.

Pregnancy Scans

Up to 16 weeks pregnant, fill bladder as for pelvic scans. (above)
Over 16 weeks pregnant; no preparation.

Abdominal scans

Nothing to eat or drink for four hours before scan.

All other scans

No special preparation

X-Rays

No preparation



Guided Injections

As instructed

Clinical Indication Code

- TA Threatened abortion
- EP Suspected ectopic pregnancy
- PM Pelvic mass in early pregnancy
- UD Uterus not equal to dates (more than 4wks discrepancy)
- BA Prior to booking CVS or amniocentesis
- CT Consideration of Termination
- NT Nuchal Translucency (12 - 14 weeks)
- NF Nuchal Translucency Repeat
- AN Anatomy (best at 18 - 20 weeks)
- AF Anatomy follow-up

- GR Suspected IUGR
- GF Suspected IUGR follow up
- PL Check placenta
- AH Antepartum haemorrhage
- AP Abdominal pain
- MP Malpresentation (after 36 weeks)
- FC Suspected fetal compromise
- FD Suspected intrauterine fetal death
- PP Maternal Post Partum (less than 6 weeks post partum,
or 2 weeks post miscarriage/termination)



○ River Radiology is located within the Victoria Clinic